

**RECEIVED
CENTRAL FAX CENTER**

JUN 01 2006

66291-330

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**ATT: OFFICE OF PATENT LEGAL ADMINISTRATION**

In re Application of:) PATENT
Hans BJORKLUND)
) Group Art Unit: 2125
) Confirmation No. 2195
Serial No. 10/025,963) Examiner: J. GANDHI
)
Filed: December 26, 2001)
) Via Facsimile 571-273-8300
FOR: SUBSTATION CONTROL SYSTEM

REQUEST FOR CORRECTION TO PATENT TERM ADJUSTMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

May 31, 2006

Dear Sir:

Applicant requests that the Patent Term Adjustment (PTA) be reconsidered. The current adjustment is 737 days. The adjustment is calculated as 865 days attributable to the Patent Office less 128 days attributable to the Applicant.

Applicant recognizes two delays which are attributable to him. First is an eleven (11) day extension of time filed April 11, 2002 in connection with the a response to missing requirements. Second, is a seven (7) day extension filed August 4, 2004 in connection with a response to an office action


In connection with the second delay, Applicant filed a drawing correction including a Replacement Sheet on August 4, 2004, a copy of which is attached. See also the file wrapper in PAIR which shows that the replacement sheet was timely filed August 4, 2004.

A Notice of Allowance was mailed November 1, 2004, and included a request for replacement drawings. A replacement sheet was again filed on November 10, 2004.

It appears that the PTO did not correctly recognize the timely filing of the drawings on August 4, 2004, and Applicant should not have been charged with any delay subsequent to the filing of the drawings on that date.

If additional fees are required, the Director is authorized to charge deposit account 04-2223 or credit any overpayment thereto.

Respectfully submitted,



John P. DeLuca
Registration No. 25,505

DYKEMA GOSSETT PLLC
1300 I Street, N.W., Suite 300 West
Washington, D.C. 20005
(202) 906-8600

DC01N105652.1
IDJPD